



Product Service

CERTIFICATE

No. Z1A 026000 0075 Rev. 00

Holder of Certificate: Deuter Sport GmbH

Daimlerstr. 23
86368 Gersthofen
GERMANY

Certification Mark:



Product: Backpack with integrated protector

Tested according to: PPP 63046D:2022
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713337224-2

Valid until: 2029-09-23

Date, 2024-10-11

(Daniel Würtz)



CERTIFICATE

No. Z1A 026000 0075 Rev. 00

Model(s): DEUTER Attack 8 Jr, Art. No. 361212163310
 DEUTER Attack16, Art. No. 321012144090,
 321012136240, 321012128040
 DEUTER Attack 18 SL, Art. No. 321022162130,
 321022166190
 DEUTER Attack 20, Art. No. 321032136240,
 321032144090, 321032128040
 DEUTER Attack 22 EL, Art. No. 321042144090

Kenndaten:

Size (Content of Backpack [l])	Approx. 16/18/20/22/8
Art.-No.	Attack16: 321012144090 & 321012136240 & 321012128040 (graphite-shale& atlantic-desert& khaki-turmeric) Attack 18 SL: 321022162130 & 321022166190 (desert-sage & raisin-almond) Attack 20: 321032136240 & 321032144090 & 321032128040 (atlantic-desert & graphite-shale & khaki-turmeric) Attack 22 EL: 321042144090 (graphite-shale) Attack 8 Jr: 361212163310 (cinnamon-atlantic)
Protector, Layer	SCA-400, -450, -500, Foam
Protector, Size	Attack16: SCA-500, 495 mm x 260 mm Attack 18 SL: SCA-450, 440 mm x 235 mm Attack 20: SCA-500, 495 mm x 260 mm Attack 22 EL: SCA-500, 495 mm x 260 mm Attack 8 Jr: SCA-400, 395 mm x 210 mm



CERTIFICATE

No. Z1A 026000 0075 Rev. 00

Suitable for length of back	Attack16 / SCA-500: 44-54 cm Attack 18 SL / SCA-450: 38-48 cm Attack 20 / SCA-500: 44-54 cm Attack 22 EL / SCA-500: 48-58 cm Attack 8 Jr / SCA-400: 34-44 cm
Force +40°C	Max. < 12 kN Ø < 9 kN (Level 2)
Force -20°C	Max. < 12 kN Ø < 9 kN (Level 2)
Force RT	Max. < 12 kN Ø < 9 kN (Level 2)
Force WET	Max. < 12 kN Ø < 9 kN (Level 2)